

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S839	36	conver\$5 with binary with ascii with xml	US-PGPUB; USPAT; USOCR; FFRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 13:24
S840	245	binary with ascii with xml	US-PGPUB; USPAT; USOCR; FFRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 13:54
S841	209	S840 not S839	US-PGPUB; USPAT; USOCR; FFRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 13:54
S842	302	(conver\$5 transl\$5 format\$5 compress\$5) same binary same ascii same xml	US-PGPUB; USPAT; USOCR; FFRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 14:25
S843	185	compress\$5 with xml with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S844	5	compress\$5 with xml with binary with deflate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S845	1242	compress\$5 with deflate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S846	180	compress\$5 with deflate with algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S847	1	compress\$5 with (markup) with deflate with algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18

S848	37	compress\$5 with (file) with deflate with algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S849	8	compress\$5 with (document) with deflate with algorithm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S850	5	conver\$5 with binary with stream with ascii with "64"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S851	9	conver\$5 with binary with stream with ascii with encod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S852	3	conver\$5 with binary with stream with text with "64" with encod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S853	68	conver\$5 with binary with (text ascii) with "64" with encod\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S854	48	compress\$5 with style with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S855	213	compress\$5 with (html xml) with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S856	17	conver\$5 with (html xml) with style\$5 with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S857	1	compress\$5 with (html xml) with style\$5 with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S859	44	S855 and style\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18

S860	69	compress\$5 with (xml html mark \$5) with style	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S861	2	compress\$5 with (text) with style with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S862	2	compress\$5 with (document) with style with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S863	48	compress\$5 with style\$5 with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S864	186	(compress\$5 decompress\$5) with xml with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S865	12	(compress\$5 and decompress\$5) with xml with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S866	43	(compress\$5 and decompress\$5) same xml same binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S867	191	(compress\$5 and decompress\$5) with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S868	994	compress\$5 with ascii	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S869	73	compress\$5 with ascii with encoding	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S870	10	compress\$5 with binary with ascii with encoding	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S871	575	(compress\$5 and decompress\$5) adj module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18

S872	261	(compress\$5 with decompress \$5) adj module	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S873	28	(compress\$5 with conver\$5) with xml with binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S874	18	conver\$5 with compress\$5 with xml with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S875	111	conver\$5 with binary with xml with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S876	5013	(715/234).COLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/09 15:18
S877	166	(715/237).COLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/09 15:18
S878	418	(715/239).COLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/09 15:18
S879	82	(715/254).COLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/02/09 15:18
S880	13	compress\$5 with xml with text with valid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S881	220	compress\$5 with xml with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S882	18	conver\$8 with compress\$5 with xml with text	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S883	3	conver\$8 with compress\$5 with xml with valid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18

S884	36	compress\$5 with xml with valid\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S885	1396	compress\$5 with xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S886	39	compress\$5 with xml with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S887	142	(endcod\$5 conver \$6) with xml with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S888	2249	(endcod\$5 conver \$6) with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S889	200	(endcod\$5 conver \$6) with binary with (text ascii) same xml	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S890	58	S889 not S887	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S891	13	token\$6 with xml with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S892	214	token\$6 with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S893	2249	(conver\$6) with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S894	142	(conver\$6) with compress\$5 with binary with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18
S895	19	(conver\$6) with compress\$5 with xml with (text ascii)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/09 15:18

S896	43	valid\$6 with xml with replac\$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 20:45
S897	5	invalid\$6 with xml with replac \$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 20:48
S898	23	invalid\$6 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 20:49
S899	28	invalid\$6 with xml with tag	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 20:49
S900	4	replac\$5 with invalid\$6 with (character tag) same (xml)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 21:02
S901	3	conver\$5 with invalid\$6 with (character tag) same (xml)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 21:03
S902	3	translat\$5 with invalid\$6 with (character tag) same (xml)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/09 21:03
S903	280	replac\$5 with xml with (character tag)	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 09:14
S904	43	S903 and invalid	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 09:14

S905	35	replac\$5 with xml with (character tag) with standard	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 09:21
S906	43	invalid with (character tag) with xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 09:29
S908	326	invalid with xml	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 11:26
S909	283	S908 not S905 not S906	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 11:26
S910	22	xml with invalid with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 13:08
S911	77	replac\$5 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 13:24
S912	15	S911 and invalid	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 13:24
S913	237	conver\$5 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 13:56
S914	53	S913 and invalid	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 13:56

S915	44	translat\$5 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 14:21
S916	5	S915 and invalid	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 14:21
S917	19	S915 and validat \$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 14:23
S918	78	transform\$5 with xml with character	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 14:23
S919	23	S918 and validat \$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 14:23
S920	32	S911 and validat \$5	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 14:25
S921	23	S920 not S912	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 14:25
S922	969	invalid with \$1lt	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 15:08
S923	28	xml with invalid with \$1lt	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 15:08

S924	2	validat\$5 with xml with character with display	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 15:14
S926	22	validat\$5 with xml with before with user	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 15:14
S927	407	validat\$5 with xml with parser	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 15:18
S928	13	character with validat\$5 with xml with parser	US-PGPUB; USPAT; USOCR; FPRS; DERWENT; IBM_TDB	OR	ON	2010/02/10 15:30

EAST Search History (Interference)

< This search history is empty >

4/ 10/ 10 7:39:39 AM**C:\ Documents and Settings\ thuyhn1\ My Documents\ EAST\ Workspaces\ 0835_1.wsp**